§ 866.3270

subpart E of part 807 of this chapter subject to the limitations in §866.9.

[47 FR 50823, Nov. 9, 1982, as amended at 54 FR 25046, June 12, 1989; 66 FR 38791, July 25, 2001]

§866.3270 Flavobacterium spp. serological reagents.

(a) Identification. Flavobacterium spp. serological reagents are devices that consist of antigens and antisera used in serological identify tests to Flavobacteriuim spp. from cultured isolates derived from clinical specimens. The identification aids in the diagnosis of disease caused by bacteria belonging to the genus Flavobacterium and provides epidemiological information on diseases caused by these microorganisms. Most members of this genus are found in soil and water and, under certain conditions, may become pathogenic to humans. Flavobacterium meningosepticum is highly virulent for the newborn, in whom it may cause epidemics of septicemia (blood poisoning) and meningitis (inflammation of the membranes of the brain) and is usually attributable to contaminated hospital equipment.

(b) Classification. Class I (general controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to the limitations in §866.9.

[47 FR 50823, Nov. 9, 1982, as amended at 54 FR 25046, June 12, 1989; 66 FR 38792, July 25, 2001]

§866.3280 Francisella tularensis serological reagents.

(a) Identification. Francisella tularensis serological reagents are devices that consist of antigens and antisera used in serological tests to identify antibodies to Francisella tularensis in serum or to identify Francisella tularensis in cultured isolates derived from clinical specimens. Additionally, some of these reagents consist of antisera conjugated fluorescent with dve (immunofluorescent reagents) used to identify Francisella tularensis directly from clinical specimens. The identification aids in the diagnosis of tularemia caused by Francisella tularensis and provides epidemiological information on this disease. Tularemia is a desease principally of rodents, but may

be transmitted to humans through handling of infected animals, animal products, or by the bites of fleas and ticks. The disease takes on several forms depending upon the site of infection, such as skin lesions, lymph node enlargements, or pulmonary infection.

(b) Classification. Class II (special controls). The device is exempt from the premarket notification procedures in subpart E of part 807 of this chapter subject to §866.9.

[47 FR 50823, Nov. 9, 1982, as amended at 63 FR 59226, Nov. 3, 1998]

§ 866.3290 Gonococcal antibody test (GAT).

(a) Identification. A gonococcal antibody test (GAT) is an in vitro device that consists of the reagents intended to identify by immunochemical techniques, such as latex agglutination, indirect fluorescent antibody, or radioimmunoassay, antibodies to Neisseria gonorrhoeae in sera of asymptomatic females at low risk of infection. Identification of antibodies with this device may indicate past or present infection of the patient with Neisseria gonorrhoeae.

(b) Classification. Class III (premarket approval) (transitional device).

(c) Date PMA or notice of completion of a PDP is required. As of May 28, 1976, an approval under section 515 of the act is required before this device may be commercially distributed. See § 866.3.

 $[47\ FR\ 50823,\ Nov.\ 9,\ 1982,\ as\ amended\ at\ 52\ FR\ 17734,\ May\ 11,\ 1987]$

§ 866.3300 Haemophilus spp. serological reagents.

(a) Identification. Haemophilus spp. serological reagents are devices that consist of antigens and antisera, including antisera conjugated with a fluorescent dye, that are used in serological tests to identify Haemophilus spp. directly from clinical specimens or tissue culture isolates derived from clinical specimens. The identification aids in the diagnosis of diseases caused by bacteria. belonging to $_{
m the}$ genus Haemophilus and provides epidemiological information on diseases cause by these microorganisms. Diseases most